



HAL
open science

Characterization of the complete plastome of Delphinium montanum, a polyploid, endemic and endangered Pyrenean Larkspur

Pascaline Salvado, Christel Llauro, Marie-Christine Carpentier, Valérie
Delorme-Hinoux, Joris Bertrand

► To cite this version:

Pascaline Salvado, Christel Llauro, Marie-Christine Carpentier, Valérie Delorme-Hinoux, Joris Bertrand. Characterization of the complete plastome of *Delphinium montanum*, a polyploid, endemic and endangered Pyrenean Larkspur. *Mitochondrial DNA Part B Resources*, 2022, 7 (4), pp.590 - 592. 10.1080/23802359.2022.2057248 . hal-03672993


HAL Id: hal-03672993

<https://univ-perp.hal.science/hal-03672993>

Submitted on 19 May 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Mitochondrial DNA Part B Resources

ISSN: (Print) (Online) Journal homepage: <https://www.tandfonline.com/loi/tmdn20>

Characterization of the complete plastome of *Delphinium montanum*, a polyploid, endemic and endangered Pyrenean Larkspur

Pascaline Salvado, Christel Llauro, Marie-Christine Carpentier, Valérie Delorme-Hinoux & Joris A. M. Bertrand

To cite this article: Pascaline Salvado, Christel Llauro, Marie-Christine Carpentier, Valérie Delorme-Hinoux & Joris A. M. Bertrand (2022) Characterization of the complete plastome of *Delphinium montanum*, a polyploid, endemic and endangered Pyrenean Larkspur, Mitochondrial DNA Part B, 7:4, 590-592, DOI: [10.1080/23802359.2022.2057248](https://doi.org/10.1080/23802359.2022.2057248)

To link to this article: <https://doi.org/10.1080/23802359.2022.2057248>



© 2022 The Author(s). Published by Informa UK Limited, trading as Taylor & Francis Group.



Published online: 03 Apr 2022.



Submit your article to this journal [↗](#)



View related articles [↗](#)



View Crossmark data [↗](#)

Characterization of the complete plastome of *Delphinium montanum*, a polyploid, endemic and endangered Pyrenean Larkspur

Pascaline Salvado, Christel Llauro, Marie-Christine Carpentier, Valérie Delorme-Hinoux and Joris A. M. Bertrand

Laboratoire Génome & Développement des Plantes (UMR 5096 UPVD/CNRS), University of Perpignan Via Domitia, Perpignan, France

ABSTRACT

Delphinium montanum DC. 1815, is an endangered larkspur endemic to the Eastern Pyrenees. For biogeographic and conservation purpose, a hybrid assembly approach based on long- and short-read genomic data allowed us to successfully assemble whole plastid genome of *Delphinium montanum*. The complete plastome is 154,185 bp in length, consisting of a pair of inverted repeats (IRs) of 26,559 bp, a large single-copy (LSC) region and a small single-copy region (SSC) of 84,746 and 16,320 bp, respectively. It was found to contain 136 genes, including 84 protein-coding genes, 44 trRNA genes and 8 rRNA genes. The overall GC content of the plastid genome is 38.3%. Phylogenetic inference supports the polyphyly of the *Delphinium* genus.

ARTICLE HISTORY

Received 28 September 2021
Accepted 20 March 2022

KEYWORDS




Delphinium montanum;
Pyrenean Larkspur;
Ranunculaceae; chloroplast
(cp) genome; Illumina
sequencing;
Nanopore sequencing


Delphinium montanum DC. 1815 (Ranunculaceae), is a perennial larkspur endemic to the Eastern part of the Pyrenees on both the Spanish and French sides. Its range is restricted to high mountain ecosystems (1600–2400 m), and it is now only observable at a dozen of localities. These populations display deficit in heterozygotes and a high degree of genetic structure (Simon et al. 2001; López-Pujol et al. 2007; Salvado et al. 2021). This species represents a particular conservation issue in a context of global change as its populations are doomed to adapt or die on their ‘sky islands’.

We used an adapted CTAB method (see [Supplementary online materials](#)) to extract genomic DNA from an individual of *Delphinium montanum* collected near Orri de Baix, France (N 42.445697° E 2.12259°) with appropriate permit (‘Arrêté préfectoral n°13616*01’ issued by the ‘Direction Départementale des Territoires et de la Mer 66’ (DDTM 66), on 26-May-2020) and deposited in the collection of the University of Perpignan Via Domitia (www.univ-perp.fr, J. Bertrand, joris.bertrand@univ-perp.fr) under accession 21-Dmo-006. We used a hybrid assembly approach based on short-read (Illumina) and long-read (Oxford Nanopore Technologies) sequencing (see [Supplementary online materials](#) and Bertrand et al. 2021 for details). In brief, we used Unicycler v0.4.9b (Wick et al. 2017) to reconstruct plastid genome, the web-based interface of GeSeq (Tillich et al. 2017) to carry on gene annotation, as well as the viewing and editing features of Geneious v.11.0.5 (www.geneious.com). The sequence is available from GenBank (Accession no.: OK148444).

The plastid genome of *D. montanum* is a circular molecule of 154,185 bp in length, comprising a large single-copy (LSC) region and a small single-copy region (SSC) of 84,746 and 16,320 bp, respectively, separated by two inverted repeat regions (IR) of 26,559 bp. We annotated 113 distinct genes, including 77 protein-coding genes, 4 ribosomal RNA genes (all located in the IRs) and 32 distinct tRNA genes. The genome contained 92 unique genes, 18 genes duplicated in the IRs, two (*trnE-UUC*, *trnM-CAU*) triplicated genes in the LSC and one partially duplicated gene split between LSC and IRs (*rps12*). Among annotated genes, 8 contained one intron (*atpF*, *ndhA*, *ndhB*, *petB*, *petD*, *rpl2*, *rpl16*, *rpoC1*) and 3 contained two introns (*clpP1*, *pafl*, *rps12*). The overall GC content of 38.3% was of 36.4, 32.8 and 43.0% in the LSC, SSC and IR regions respectively (see [Supplementary online materials](#) for more details).

The *Delphinium montanum* plastid genome was comparable in size and structure to 8 other published plastomes of *Delphinium* species. We used MAFFT v7.3.88 (Katoh et al. 2002; Katoh and Standley 2013) to align the plastome of *D. montanum* with a set of other previously published plastid genomes of the Delphinieae tribe. We then reconstructed a phylogenetic tree to verify its systematics placement with IQ-TREE v2.0.6 (Minh et al. 2020) with 1000 replicates (-B 1000) of Ultrafast Bootstrap Approximation (UFBoot) to assess nodes support. As previously shown, *D. montanum* is part of the *Delphinium* subgenus *Delphinastrum* (Jabbour and Renner 2012). Our data also supports that *Delphinium* is a non-monophyletic genus (Figure 1).

CONTACT Joris A. M. Bertrand  joris.bertrand@univ-perp.fr; Valérie Delorme-Hinoux  valerie.hinoux@univ-perp.fr  Laboratoire Génome & Développement des Plantes (UMR 5096 UPVD/CNRS), Université de Perpignan Via Domitia, 58 avenue Paul Alduy, Bâtiment T, F-66860 Perpignan, France

 Supplemental data for this article can be accessed [here](#).

© 2022 The Author(s). Published by Informa UK Limited, trading as Taylor & Francis Group.

This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.




Figure 1. Phylogenetic position of *D. montanum* inferred by Maximum Likelihood method based on 8 whole-plastome *Delphinium* sequences. Node supports correspond to bootstrap values.

Author contributions statement

J.A.M. Bertrand and V. Delorme-Hinoux were involved in the conception and design, analyses and interpretation of the data and writing of the manuscript. P. Salvado was involved in analyses and interpretation of the data and writing of the manuscript. C. Llauro generated the ONT data. M.-C. Carpentier provided support with bioinformatics data analyses. All authors approved the version of the manuscript to be published and agree to be accountable for all aspects of the work.

Disclosure statement

The authors report no conflict of interest.

Funding

This study was funded by the interreg-POCTEFA program [FLORALAB Project EFA294/19] and is set within the framework of the "Laboratoires d'Excellences (LABEX)" TULIP [ANR-10-LBX-41] as well as within the framework "École Universitaire de Recherche (EUR)" TULIP-GS [ANR-18-EURE-0019].

Data availability statement

The consensus genome sequence is openly available in GenBank of NCBI at [<https://www.ncbi.nlm.nih.gov/>] (<https://www.ncbi.nlm.nih.gov/>) under

the accession no. OK148444. The genomic data that support the findings of this study are available from the European Nucleotide Archive at [<https://www.ebi.ac.uk/ena/>] (<https://www.ebi.ac.uk/ena/>) The associated numbers are Study: PRJEB46773, Sample: ERS7180281, and Runs: ERR6447361 (Illumina) and ERR6447534/ERR6447760 (ONT), respectively.

References

- Aymerich P, Martínez-Fornés XO, Mendez S, Mangeot A, Martin M, Tenas B. 2020. Seguiment de l'endemisme dels Pireneus orientals *Delphinium montanum* per la xarxa transfronterera FloraCat, Actes del XII Col·loqui Internacional de Botànica Pirenaica – Cantàbrica; p. 147–165. <https://dialnet.unirioja.es/servlet/articulo?codigo=7638870>
- Bertrand JAM, Gibert A, Llauro C, Panaud O. 2021. Whole plastid genome-based phylogenomics supports an inner placement of the *O. insectifera* group rather than a basal position in the rapidly diversifying *Ophrys* genus (Orchidaceae). *Bot Lett.* 168(3):452–457.
- Jabbour F, Renner SS. 2012. A phylogeny of Delphinieae (Ranunculaceae) shows that *Aconitum* is nested within *Delphinium* and that Late Miocene transitions to long life cycles in the Himalayas and Southwest China coincide with bursts in diversification. *Mol Phylogenet Evol.* 62(3):928–942.
- Katoh K, Misawa K, Kuma K-i, Miyata T. 2002. MAFFT: a novel method for rapid multiple sequence alignment based on fast Fourier transform. *Nucleic Acids Res.* 30(14):3059–3066.
- Katoh K, Standley DM. 2013. MAFFT multiple sequence alignment software version 7: improvements in performance and usability. *Mol Biol Evol.* 30(4):772–780.

- López-Pujol J, Orellana MR, Bosch M, Simon J, Blanché C. 2007. Low genetic diversity and allozymic evidence for autopolyploidy in the tetraploid Pyrenean endemic larkspur *Delphinium montanum* (Ranunculaceae). *Biol J Linn Soc.* 155(2):211–222.
- Minh BQ, Schmidt HA, Chernomor O, Schrempf D, Woodhams MD, Von Haeseler A, Lanfear R. 2020. IQ-TREE 2: new models and efficient methods for phylogenetic inference in the genomic era. *Mol Biol E.* 37:1510–1534.
- Salvado P, Aymerich Boixader P, Parera J, Vila Bonfill A, Martin M, Quélenec C, Lewin J-M, Hinoux V, Bertrand JAM. 2021. Little hope for the polyploid endemic Pyrenean Larkspur (*Delphinium montanum*): evidences from population genomics and ecological niche modeling. *Ecol Evol.* 12(3):e8711.
- Simon J, Bosch M, Molero J, Blanché C. 2001. Conservation biology of the Pyrenean Larkspur (*Delphinium montanum*): a case of conflict of plant versus animal conservation? *Biol Conserv.* 98(3):305–314.
- Tillich M, Lehwark P, Pellizzer T, Ulbricht-Jones ES, Fischer A, Bock R, Greiner S. 2017. GeSeq – versatile and accurate annotation of organelle genomes. *Nucleic Acids Res.* 45(W1):W6–W11.
- Wick RR, Judd LM, Gorrie CL, Holt KE. 2017. Unicycler: resolving bacterial genome assemblies from short and long sequencing reads. *PLOS Comput Biol.* 13(6):e1005595.